

SR 1200 Semi-Trailer


The SR1200 semi-trailer is a versatile platform designed to be easily adapted to a wide range of applications, especially of telecommunications.

Inertial brake system and leaf spring suspension.

Application samples:


- Mobile Cellsite / Repeater / Broadcast
- Parabolic antenna mobile unit
- Temporary payphone station
- Test transmitter/receiver

Towing vehicle	Light truck, towing capacity min 1240kg, with 50mm ball hitch	
Hitch weight	kg	up to 124
Chassis structure	Welded Steel "U" beam profiles	
Approximated weight	kg	340
Max load	kg	900
Max total gross weight	kg	1240 (SAE Class 2)
Brakes	Inertial and hand-brake, drums on both wheels	
Axle	1 with leaf springs suspension	
Painting	Two-layer, according to the Petrobrás Standard N-1202F / N-2677	
Optional	Leveling jacks	
Dimensions	m	Plataforma: 2,5x1,25 Total: 1,71x3,86 Platform height: 0,62
Part #	19370	



Contact us about your application. RF COM can design and manufacture any necessary support or modifications for the integration of your equipment to the SR1200.

RF COM is member of the National Association of Trailer Manufacturers (USA), and follows its design and manufacturing recommendations.



Optional leveling jacks



Leaf spring suspension and drum brakes



Handbrake compartment with lock



Spare wheel support with padlock



Inertial brake controller on the coupler

